




ACCESSORIES






Fixed Shelves, 4 point fixing, Compatible with Lande cabinet. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg.

FIXED SHELVES 4 POINT FIXING	Logistics Data						COMPATIBLE WITH											
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150
LN-RAF-SBT-D600-CC Fixed Shelf, 4 point fixing, Physical Shelf Depth:370mm for D=600mm cabinets, Load Capacity 50 kg	486x370x30	510x380x35	1,8	2	12	550x430x480	25,5	●			●						**	
LN-RAF-SBT-D800-CC Fixed Shelf, 4 point fixing, Physical Shelf Depth:570mm for D=800mm cabinets, Load Capacity 50 kg	486x570x30	500x590x35	2,5	3	12	550x450x630	38		●			●						
LN-RAF-SBT-D1000-CC Fixed Shelf, 4 point fixing, Physical Shelf Depth:770mm for D=1000mm cabinets, Load Capacity 50 kg	486x770x30	500x795x37	3,5	3,9	10	550x440x800	42			●			●	●	●			


* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. ** Please order set of 19" equipment mounting rails.



Fixed Shelves, 4 point fixing, Compatible with all brand cabinets Multivendor. Adjustable brackets at depth. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg.

FIXED SHELVES, 4 POINT FIXING _ UNIVERSAL MODEL, MULTIVENDOR, compatible with any brand cabinet	Logistics Data						COMPATIBLE WITH											
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150
LN-RAF-SBT-D600-CC-UNV Fixed Shelf, 19" 1U Metal Bracket, 4 point fixing, Physical Shelf Depth:370mm for D=600mm cabinets, Load Capacity 50 kg Universal Model, Compatible with any brand cabinet	486x370x44	510x390x43	2	2,4	10	550x430x480	26	●			●						**	
LN-RAF-SBT-D800-CC-UNV Fixed Shelf, 19" 1U Metal Bracket, 4 point fixing, Physical Shelf Depth:570mm for D=800mm cabinets, Load Capacity 50 kg Universal Model, Compatible with any brand cabinet	486x570x44	490x610x43	3	3,4	10	550x450x630	36		●			●						
LN-RAF-SBT-D1000-CC-UNV Fixed Shelf, 19" 1U Metal Bracket, 4 point fixing, Physical Shelf Depth:770mm for D=1000mm cabinets, Load Capacity 50 kg Universal Model, Compatible with any brand cabinet	486x770x44	500x795x37	3,6	4	10	550x440x800	43			●			●	●	●			

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. ** Please order set of 19" equipment mounting rails.



Sliding Shelves, 4 point fixing, Compatible with all brand cabinets Multivendor. Adjustable brackets at depth. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 30 kg.



SLIDING SHELVES 4 POINT FIXING, MULTIVENDOR, compatible with any brand cabinet	Logistics Data							COMPATIBLE WITH																								
								DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAMIC Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBOX Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBOX Series SOHO Cabinets W (Width) x D (Depth) mm			10" NETBOX Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETBOX Home Series Cabinets W (Width) x D (Depth) mm			NETBOX Slim Series Cabinets W (Width) x D (Depth) mm			DYNAMIC Frame Systems W 530 x D (Depth) mm			
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame			
LN-RAF-HRK-D600-CC Sliding Shelf, 4 point fixing, Physical Shelf Depth:370mm for D=600mm cabinets, Load Capacity 30 kg, Compatible with any brand cabinet	486x350x44	510x390x43	2,4	2,7	10	550x430x480	30	●			●						**									●						
LN-RAF-HRK-D800-CC Sliding Shelf, 4 point fixing, Physical Shelf Depth:570mm for D=800mm cabinets, Load Capacity 30 kg, Compatible with any brand cabinet	486x550x44	490x610x43	3,3	3,6	10	550x450x630	38		●			●															●					

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. ** Please order set of 19" equipment mounting rails.



L shaped Support Rails connecting the front and rear 19" rails, Rack mount equipments, shelves or equipments without 19" assembly brackets safely could be housed inside the cabinet with the accessory. Corrosion resistance gained by 8-12 micron zinc plating. Load Capacity 100 kg .



L SUPPORT RAILS	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmaz Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmaz Frame Systems W 530 x D (Depth) mm						
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg																						
LN-RAF-RAY-D600-ZN L support Rail forD=600mm cabinets, zinc plated 8-12 micron, Physical L support Rail Depth:350mm	44x350x44	55x400x55	0,8	1,1	1	55x400x55	1,1	●			●																		
LN-RAF-RAY-D800-ZN L support Rail forD=800mm cabinets, zinc plated 8-12 micron, Physical L support Rail Depth:570mm	44x570x44	55x610x55	1,3	1,6	1	55x610x55	1,6	●			●																		
LN-RAF-RAY-D1000-ZN L support Rail forD=1000mm cabinets, zinc plated 8-12 micron, Physical L support Rail Depth:720mm	44x720x44	55x750x55	1,6	2	1	55x750x55	2		●			●	●	●															



Heavy Duty Fixed Shelves, 4 point fixing, Compatible with all brand cabinets. Multivendor. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. 1U sized. Adjustable brackets at depth. With this feature the item can be assembled to any brand cabinet. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 100 kg.

[illegible]

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Heavy Duty Sliding Shelves, 4 point fixing, Compatible with all brand cabinets. Multivendor. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. 1U sized. Adjustable brackets at depth. With this feature the item can be assembled to any brand cabinet. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg.

[illegible]

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



The assembly should be from frontal assembly to the equipment mounting rails. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 30 kg

1U size, bracket, an accessory for assembling to rear

equipment mounting rails to increase the load capacity of shelf, Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material.

2U 19" Doubleway shelf, central assembly to the frame of frame System DYNAframes, supply is in RAL 9005 Black and RAL 7035 Light Grey colors. . From Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg

RACK MOUNT SHELVES 2 POINT FIXING	Logistics Data						COMPATIBLE WITH																																	
							COMPATIBLE WITH						DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm										NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm						19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETBox Home Series Cabinets W (Width) x D (Depth) mm		NETBox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm	
													DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETBox Home Series Cabinets W (Width) x D (Depth) mm		NETBox Slim Series Cabinets W (Width) x D (Depth) mm																	
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm		600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame											
LN-RAF-RMO-1U20-CC 1U D=200mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x200x44	510x240x50	0,9	1,1	10	545x425x400	13	●	●	●	●	●	●	●	●	●	●	●	●	●			●		●		●	●	●											
LN-RAF-RMO-1U25-CC 1U D=250mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x250x44	510x280x50	1,1	1,3	10	545x425x400	15	●	●	●	●	●	●	●	●	●	●	●		●				●		●		●	●											
LN-RAF-RMO-1U30-CC 1U D=300mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x300x44	505x305x50	1,3	1,6	9	545x425x400	17	●	●	●	●	●	●	●	●	●	●	●		●				●		●		●	●											
LN-RAF-RMO-1U40-CC 1U D=400mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x400x44	515x415x55	1,7	2,1	8	545x425x400	16,8	●	●	●	●	●	●	●	●	●	●	●					●		●		●	●	●											
LN-RAF-RMO-2U35-CC 2U D=350mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x350x88	510x360x90	2,1	2,4	4	545x425x400	11	●	●	●	●	●	●	●	●	●	●	●						●		●		●	●											
LN-RAF-RMO-2U55-CC 2U D=550mm 19" Rack Mount Shelf , 2 point fixing, for all cabinets at 19" provision, Load Capacity 30 kg	486x550x88	500x595x100	3,3	3,8	4	550x450x630	16,5		●	●		●	●	●	●									●		●		●	●											
LN-RAF-RMO-1UXX-CC 1U 19" Adapter part, 1set:2 pcs incl the fixing hardware, Allowing rack mount shelves to attach to rear 19" rails, Increasing the original load capacity of shelf	1U	270x165x50	0,2	0,2	10	270x165x50	2,4	●	●	●	●	●	●	●	●										●		●	●												
LN-RAF-RMO-2U80-CC 2U D=570mm 19" Rack Mount Double way shelf, 4 point fixing, Fixed Shelf, Single Frame 80mm frame, usage at 19" provision, Load capacity 50 kg	486x570x88	683x490x90	3,8	4,2	4	550x440x800	17,9																●																	
LN-RAF-RMO-2U160-CC 2U D=570mm 19" Rack Mount Double way shelf, 4 point fixing, Fixed Shelf, Single Frame 160mm frame, usage at 19" provision, Load capacity 50 kg	486x570x88	683x490x90	4	4,5	4	550x440x800	19,5																						●											

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Frontal assembly to the 19" equipment mounting rails, the rear adjustable brackets allows the rear assembly to the rear 19" equipment mounting rails, providing 4 point assembly. For allowing the convection of heated air inside cabinets, the shelves are structured with ventilation slots. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. . From Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg

RACK MOUNT SHELVES, 4 POINT FIXING	Logistics Data						COMPATIBLE WITH																								
							DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAMIC Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETBox Home Series Cabinets W (Width) x D (Depth) mm				NETBox Slim Series Cabinets W (Width) x D (Depth) mm
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame		
LN-RAF-RMC-1135-CC 1U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=350mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x350x44	510x410x55	2,2	2,6	7	550x430x480	20,3	●	●	●	●	●	●	●	●		**									●	●				
LN-RAF-RMC-2135-CC 2U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=350mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x350x88	510x360x100	2,1	2,4	4	545x425x400	11,5	●	●	●	●	●	●	●	●											●	●				
LN-RAF-RMC-1145-CC 1U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=450mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x450x44	558x475x57	2,4	2,7	7	550x450x630	21	●	●	●	●	●	●	●	●											●	●	●			
LN-RAF-RMC-2145-CC 2U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=450mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x450x88	595x500x100	2,7	3,1	4	550x450x630	14,5	●	●	●	●	●	●	●	●											●	●	●			
LN-RAF-RMC-2155-CC 2U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=550mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x500x88	595x500x100	3,3	3,7	4	550x450x630	17			●				●	●													●			
LN-RAF-RMC-2165-CC 2U 19" frontal, 1 U 19" rear assembly, adjustable rear 19" brackets, D=650mm , for all cabinets at 19" provision, Load Capacity 50 kg	486x650x88	683x490x90	3,5	4	4	550x440x800	18,5			●				●	●													●			
LN-RAF-RMO-1UXX-CC 1U 19" Adapter part, 1 set 2 pcs incl the fixing hardware, Allowing rack mount shelves to attach to rear 19" rails, Increasing the original load capacity of shelf	1U 270x165x50		0,2	0,2	10	270x165x50	2,4	●	●	●	●	●	●	●	●											●	●	●			

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. ** Please order set of 19" equipment mounting rails.

خبرتتنا سمعتنا

Our experience is
our reputation

Proverb of Jordan



ACCESSORIES


SENSED and CORD SWITCHED LIGHTING MODULES

BASE GROUP: CASTER, FEET, FLOOR FIXING KIT



There are 2 models of LED lighting units for cabinets. 19" 1U, turning function up/down, automatically operating once door is open, closing once door is closed or no movement detected in 60 seconds. Other Model is LED lighting 19" with cord switch equipped with magnets and hook. Where can be hanged or stucked on any metal part of cabinet. 220VAC.

SENSORED LIGHTING MODULE	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETox Home Series Cabinets W (Width) x D (Depth) mm		NETox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm						
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-DGR-AYD-1UOT-XX Lighting Module 1U 19", Door switched sensor - automatically operating once doors are open, LED LIGHTING, Turning function up/down	482x35x44	500x150x55	0,48	0,65	32	545x425x400	22	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●					
LN-DGR-AYD-1UMG-XX Lighting Module 1U 19", Cord switched, magnet equipped, with hook system.	450x23x24	540x145x65	0,26	0,5	20	545x425x400	11	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●




Adjustable feet group, and 360 degree full mobile on y axis caster sets, each set is of 4 which 2 are with brakes, 2 are without brakes.

Floor Fixing Kits integration to W=600 and W=800mm DYNAmic cabinets while product is in use with leveling feet, for purpose of Securing the cabinet against tilting risk and vibration. From Steel Material, Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

BASE GROUP: CASTER, FEET, FLOOR FIXING KIT	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm		DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETox Home Series Cabinets W (Width) x D (Depth) mm		NETox Slim Series Cabinets W (Width) x D (Depth) mm				DYNAmix Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-ZMN-TKR-5525-XX Free Standing Caster Set, 1 set=4 pcs, 2w/break, 2wo/break. Load capacity 250kgs per caster.	55x25	200x1145x95	2	2,2	6	560x425x122	14,2	●	●	●	●	●	●	●	●														
LN-ZMN-PNY-1040-XX PVC Leveling Feet Group 1 set=4 pcs, M10. Load capacity 250kgs per fit.	M10x35	80x82x100	0,2	0,3	30	560x425x122	10	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●	●	●	●
LN-ZMN-TKR-5020-XX Caster Set 1 set=4 pcs, M10 Single Point Fixing, for Wall Mounting Type cabinets. Load capacity 100kgs per caster.	M10	260x160x50	0,8	1	27	545x425x400	28									●	●	●	●	●									
LN-ZMN-TKR-5525-01 Caster Set, 1 set=4 pcs, 2w/break, 2wo/break for DYNAmix Open racks , Single point fixing. Load capacity 150kgs per caster.	M10	200x145x95	2	2,2	6	560x425x122	14,2																		●	●	●	●	●
LN-ZMN-DPR-W600-CC W=600mm Floor Fixing Kit- 1 set 2 pcs, Front and rear application, suitable with PVC leveling Feet	575x125x30	600x145x50	3	3,5	1	600x145x50	3,5	●	●	●																			
LN-ZMN-DPR-W800-CC W=800mm Floor Fixing Kit- 1 set 2 pcs, Front and rear application, suitable with PVC leveling Feet	775x125x30	800x145x50	3,6	4	1	800x145x50	4				●	●	●																

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



100 mm height, to integrate under bottom case of cabinet, with the intend of establishing cable reserve as well to raise cabinet to a certain height from the floor. The brushed entry at rear side allows cable entry from rear. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. From Steel Material, with high technology bending strengthening accessory, Load capacity 1000 kg


BASE GROUP; PLINTHS	Logistics Data							COMPATIBLE WITH																						
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETbox Home Series Cabinets W (Width) x D (Depth) mm				NETbox Slim Series Cabinets W (Width) x D (Depth) mm		
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame	
LN-ZMN-BAZ-6060-CC Plinth H=100mm W=600mm D=600mm Modular	600x600x100	620x620x110	5,2	6,3	1	620x620x110	6,3	●																						
LN-ZMN-BAZ-6080-CC Plinth H=100mm W=600mm D=800mm Modular	600x800x100	620x820x110	6,4	7,9	1	620x820x110	7,9	●																						
LN-ZMN-BAZ-6010-CC Plinth H=100mm W=600mm D=1000mm Modular	600x1000x100	620x1030x110	6,9	8,2	1	620x1030x110	8,2		●																					
LN-ZMN-BAZ-8060-CC Plinth H=100mm W=800mm D=600mm Modular	800x600x100	820x620x110	6,4	7,9	1	820x620x110	7,9			●																				
LN-ZMN-BAZ-8080-CC Plinth H=100mm W=800mm D=800mm Modular	800x800x100	820x820x110	7,2	8,9	1	820x820x110	8,9				●																			
LN-ZMN-BAZ-8010-CC Plinth H=100mm W=800mm D=1000mm Modular	800x1000x100	820x1030x110	7,5	9,2	1	820x1030x110	9,2					●																		
LN-ZMN-BAS-6010-CC Plinth H=100mm W=600mm D=1000mm Modular, for server cabinets	600x1000x100	620x1030x110	12,8	15,6	1	620x1030x110	15,6						●																	
LN-ZMN-BAS-8010-CC Plinth H=100mm W=800mm D=1000mm Modular, for server cabinets	800x1000x100	820x1030x110	14,5	17,6	1	820x1030x110	17,6							●																

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.

ACCESSORIES

GENERAL STORAGE DRAWERS


GROUNDING SETS



General purpose storage drawers, could house various user manuals, software CDs secure way. Additionally can be integrated with Keyboard. Adjustable in depth mechanic sliding brackets specially designed and formed from extruded aluminium material. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors. Main Body is from Steel Material, with high technology bending strengthening accessory, Load capacity 50 kg.

GENERAL STORAGE DRAWERS	Logistics Data						COMPATIBLE WITH											
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm	DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm	NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm	19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm	10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm	19" NETBox Home Series Cabinets W (Width) x D (Depth) mm	NETBox Slim Series Cabinets W (Width) x D (Depth) mm	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg											
LN-RAF-CEK-1U40-CC 1U 19" Keyboard and General Storage Drawer D=400mm	482x405x44	515x415x55	3,6	4	6	545x425x400	26	●	●	●	●	●	●		●	●	●	
LN-RAF-CEK-2U40-CC 2U 19" Keyboard and General Storage Drawer D=400mm	482x405x88	515x425x100	5,5	6	4	545x425x400	26	●	●	●	●	●	●		●	●	●	
LN-RAF-CEK-3U40-CC 3U 19" Keyboard and General Storage Drawer D=400mm	482x405x130	515x425x150	7,1	7,7	3	550x430x480	25	●	●	●	●	●	●		●	●	●	

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.




4pcs Grounding wires, 4mm diameter Yellow /Green, 40cm long, for purpose of main grounding and potential equalization use.

GROUNDING SETS	Logistics Data						COMPATIBLE WITH											
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm	DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm	NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm	19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm	10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm	19" NETBox Home Series Cabinets W (Width) x D (Depth) mm	NETBox Slim Series Cabinets W (Width) x D (Depth) mm	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg											
LN-DGR-TPR-5L40-XX Grounding Set, 6 grounding point, 4pcsx4mm diameterx 40cm long yellow/green wires,for basic grounding of cabinet chassis and panels	260x55x50	260x55x50	0,2	0,2	32	550x430x400	7,9	●	●	●	●	●	●	●	●	●	●	●
LN-DGR-TPR-1U10-CC 19" rack mount 1U Grounding Set, 10 grounding point, 4 pcsx4mm diameter x 40 cm long yellow/green wires, can be installed at any U height for all cabinet models, 4pcs set of M6 fixing elements.	482x35x44	500x45x50	0,4	0,5	1	500x45x50	0,5	●	●	●	●	●	●	●	●	●	●	●
LN-DGR-TPR-DM20-XX Vertical Grounding Set 780mm long each ,2pcs 22x2=44 grounding points, 4 pcsx4mm diameter x 40 cm long yellow/green wires, incl the connection wire for the 2 copper bar.	25x25x780	35x35x800	1,5	1,7	1	35x35x800	1,7	**	**	**	**	**	**					

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. ** 36U and above sizes are allows vertical grounding sets.


ACCESSORIES

Equipment Mounting Rails FREE STANDING and WALL MOUNTING TYPE



19" Equipment Mounting rails, for assembling the active and passive equipments. For assembling the different depth equipments some cases extra rails are required. If the configured quantity in shipping configuration is not enough than to be ordered. 1,5mm thickness steel material, zinc plated 8-12 micron, Automation U number printing, 1 set: 2 pcs.

Equipment Mounting Rails FREE STANDING and WALL MOUNTING TYPE	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NEThox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NEThox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NEThox Home Series Cabinets W (Width) x D (Depth) mm		NEThox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAFrame Frame Systems W 530 x D (Depth) mm						
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PRF-CMD-07UD-ZN 7U 19" Equipment Mounting Rails 1set:2pcs (left/right) WM range Wall Mounting Type	35x65x328	40x70x350	0,7	0,72	1	40x70x350	0,72									●	●	●											
LN-PRF-CMD-09UD-ZN 9U 19" Equipment Mounting Rails 1set:2pcs (left/right) WM range Wall Mounting Type	35x65x417	40x70x450	0,7	0,92	1	40x70x450	0,92									●	●	●											
LN-PRF-CMD-12UD-ZN 12U 19" Equipment Mounting Rails 1set:2pcs (left/right) Wall Mounting and Free Standing Type	35x65x511	40x70x570	1,1	1,15	0	40x70x570	1,15	●	●							●	●	●											
LN-PRF-CMD-16UD-ZN 16U 19" Equipment Mounting Rails 1set:2pcs (left/right) Wall Mounting and Free Standing Type	35x65x728	40x70x750	1,5	1,55	1	40x70x750	1,55	●	●							●	●	●											
LN-PRF-CMD-20UD-ZN 20U 19" Equipment Mounting Rails 1set:2pcs (left/right) Wall Mounting and Free Standing Type	35x65x906	40x70x940	1,9	2	1	40x70x940	2	●	●							●	●	●											
LN-PRF-CMD-22UD-ZN 22U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x995	40x70x1010	2	2,1	1	40x70x1010	2,1	●	●	●	●	●																	
LN-PRF-CMD-26UD-ZN 26U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x1173	40x70x1210	2,5	2,6	1	40x70x1210	2,6	●	●	●	●	●																	
LN-PRF-CMD-32UD-ZN 32U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x1440	40x70x1490	2,9	3	1	40x70x1490	3	●	●	●	●	●																	
LN-PRF-CMD-36UD-ZN 36U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x1617	4x70x1650	3,4	3,5	1	4x70x1650	3,5	●	●	●	●	●																	
LN-PRF-CMD-39UD-ZN 39U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x1751	40x70x1800	3,7	3,8	1	40x70x1800	3,8	●	●	●	●	●																	
LN-PRF-CMD-42UD-ZN 42U 19" Equipment Mounting Rails 1set:2pcs (left+right) FWall Mounting and Free Standing Type	35x65x1884	40x70x1940	3,9	4	1	40x70x1940	4	●	●	●	●	●	●																
LN-PRF-CMD-45UD-ZN 45U 19" Equipment Mounting Rails 1set:2pcs (left+right) Wall Mounting and Free Standing Type	35x65x2017	40x70x2100	4,2	4,3	1	40x70x2100	4,3	●	●	●	●	●	●																



19" Equipment Mounting rails, for assembling the active and passive equipments. For assembling the different depth equipments some cases extra rails are required. If the configured quantity in shipping configuration is not enough than to be ordered. 2,0 mm thickness steel material, zinc plated 8-12 micron, Automation U number printing, 1 set: 2 pcs.

Equipment Mounting Rails SERVER CABINETS	Logistics Data						COMPATIBLE WITH																						
							DYNAmix Series Free Standing Cabinets W (Width) x D (Depth) mm		DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETBox Home Series Cabinets W (Width) x D (Depth) mm		NETBox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmix Frame Systems W 530 x D (Depth) mm								
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PRF-CMD-12US-ZN 12U 19" Equipment Mounting Rails 1set:2pcs (left+right) for SR Group Server Cabinets	35x65x551	40x70x570	1,3	1,4	1	40x70x570	1,4							●															
LN-PRF-CMD-26US-ZN 26U 19" Equipment Mounting Rails 1set:2pcs (left+right) for SR Group Server Cabinets	35x65x1173	40x70x1210	2,6	2,7	1	40x70x1210	2,7							●															
LN-PRF-CMD-36US-ZN 36U 19" Equipment Mounting Rails 1set:2pcs (left+right) for SR Group Server Cabinets	35x65x1617	40x70x1650	3,5	3,7	1	40x70x1650	3,7							●															
LN-PRF-CMD-42US-ZN 42U 19" Equipment Mounting Rails 1set:2pcs (left+right) for SR Group Server Cabinets	35x65x1884	40x70x1940	4,4	4,6	1	40x70x1940	4,6							●	●														
LN-PRF-CMD-45US-ZN 45U 19" Equipment Mounting Rails 1set:2pcs (left+right) for SR Group Server Cabinets	35x65x2017	40x70x2100	4,8	5	1	40x70x2100	5							●	●														

Más vale maña que fuerza.

Experience is better than force.

Proverb of Cuba



Ұстаны соққан
пышағынан таниды

The master's creation
tells his name

Khazaks Proverb

There are things that inspire us,
and then, there are people that we inspire...



ACCESSORIES

ECONOMIC POWER STRIPES PVC HOUSING

HORIZONTAL POWER STRIPES ALUMINIUM HOUSING



1U 19" 16A lighted on/off switched, Black Color, PVC Housing, Economic Segment Power Distribution Stripes, CE Marked.

ECONOMIC POWER STRIPES PVC HOUSING	Logistics Data							COMPATIBLE WITH																					
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETBox Home Series Cabinets W (Width) x D (Depth) mm				NETBox Slim Series Cabinets W (Width) x D (Depth) mm	
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	800x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D-670mm	Double Frame System with 80mm depth Frame D-870mm	Double Frame System with 80mm depth Frame D-1070mm	Single Frame with 160mm depth Frame
LN-PRZ-EKO-1U3P-SC 3xDIN49440 Socket Schuko Power Stripe, 19" 1U, PVC Frame, 16A lighted on/off switch, 4000 Watt, 250V AC, 3x1.5mm ² , 2,5m cable, DIN 49441 plug, CE mark.	482x44x44	500x100x120	0,6	0,7	16	545x425x400	14	●	●	●	●	●	●	●	●	●	●	●	●	●	312x300	●	●	●	●	●	●	●	●
LN-PRZ-EKO-1U6P-SC 6xDIN49440 Socket Schuko Power Stripe, 19" 1U, PVC Frame, 16A lighted on/off switch, 4000 Watt, 250V AC, 3x1.5mm ² , 2,5m cable, DIN 49441 plug, CE mark.	482x44x44	500x100x120	0,8	0,9	16	545x425x400	17	●	●	●	●	●	●	●	●	●	●	●	●	●		●			●		●	●	●



Aluminium housing, different types and features, Power Distribution Stripes are CE Marked. DIN49440 Schuko types, IEC320 C13 Types, BS1363 UK Socket Types, lighted on/off switched, 16A cct Breaker type, Surge Protection types are available. Assembly types horizontal. A wide accessory portfolio is available, possible to configure special and specific product models with different socket types and qty's for projects.

HORIZONTAL POWER STRIPES ALUMINIUM HOUSING	Logistics Data						COMPATIBLE WITH																					
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETBox Home Series Cabinets W (Width) x D (Depth) mm			NETBox Slim Series Cabinets W (Width) x D (Depth) mm			DYNAmix Frame Systems W 530 x D (Depth) mm
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg																					
LN-PRZ-SGT-1U6P-SC 6xDIN49440 Socket Schuko Power Stripe, 19" 1U, aluminium housing, 1x16A cct breaker, 4000 Watt, 250V AC, 3x1.5mm2, 2,5m cable, DIN 49441 plug, CE mark.	482x44x44	500x50x120	1	1,1	27	545x425x400	31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-SGT-2U9P-SC 9xDIN49440 Socket Power Stripe, 19" 2U aluminium housing, 1x16A cct breaker, 4000 Watt, 250V AC, 2,5m cable, DIN 49441 plug, CE mark.	482x44x88	500x100x120	1,5	1,7	12	545x425x400	22	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-AKK-1U6P-SC 6xDIN49440 Socket Schuko Surge Protection power Stripe, 19" 1U, aluminium housing, 16A lighted on/off switched, 4000 Watt, 250V AC, 3x1.5mm2, 2,5m cable, DIN 49441 plug, CE mark.	482x44x44	500x50x120	1	1,1	27	545x425x400	31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-ONF-1U6P-UK 6xBS1363 UK Socket Power Stripe, 19" 1U, aluminium housing, lighted on/off switched, 13A 3250 Watt, 250V AC, 3x1.5mm2, 2,5m cable, 13A BS1363 plug, CE mark	482x44x62	500x100x120	1,2	1,4	24	545x425x400	34	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-SGT-1U6P-IE 6xIEC 320 C13 Socket Power Stripe, 19" aluminium housing, 1x16A cct breaker, 4000 Watt, 250V AC, 2,5m cable, DIN 49441 plug, CE mark.	482x44x44	500x50x120	1	1,1	27	545x425x400	31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-ONF-1U8P-SC 8xDIN49440 Socket Schuko Power Stripe, 19" 1U, aluminium housing, 16A lighted on/off switched, 4000 Watt, 250V AC, 3x1.5mm2, 2,5m cable , DIN 49441 plug, CE mark.	482x44x44	500x50x120	1,1	1,2	27	545x425x400	34	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



Aluminium Housing, Vertical Assembly Model power Stripes are available in DIN49440 schuko sockets and IEC320 C13 Type Socket outlets. No Cable but ready cable connection. Vertical Power Stripes are integrated with 2x16 A cct breaker.

VERTICAL POWER STRIPES ALUMINIUM HOUSING	Logistics Data							COMPATIBLE WITH																					
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Socket Cabinets W (Width) x D (Depth) mm			NETox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETox Home Series Cabinets W (Width) x D (Depth) mm		NETox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm			
Part Number and Product Description	Product Dimensions mm	Peak Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PRZ-SGT-4518-SC 18xDIN49440 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 45U cabinet height, no cable, ready cable connection point.	60x42x1890	2035x95x85	2,9	3,3	1	2035x95x85	3,3							45U	45U														
LN-PRZ-SGT-4518-IE 18xIEC 320 C13 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 45U cabinet height, no cable, ready cable connection point.	60x42x1890	2035x95x85	2,9	3,3	1	2035x95x85	3,3							45U	45U														
LN-PRZ-SGT-4218-SC 18xDIN49440 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 42U cabinet height, no cable, ready cable connection point.	60x42x1890	2035x95x85	2,7	3,1	1	2035x95x85	3,1							42U	42U														
LN-PRZ-SGT-4218-IE 18xIEC 320 C13 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 42U cabinet height, no cable, ready cable connection point.	60x42x1890	2035x95x85	2,7	3,1	1	2035x95x85	3,1							42U	42U														
LN-PRZ-SGT-3618-SC 18xDIN49440 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 36U cabinet height, no cable, ready cable connection point.	60x42x1620	1710x95x85	2,4	2,9	1	1710x95x85	2,9							36U															
LN-PRZ-SGT-3618-IE 18xIEC 320 C13 Socket Schuko Power Stripe – double circuit (9+9), aluminium housing, 2x16A cct breaker, 250vac, for 36U cabinet height, no cable, ready cable connection point.	60x42x1620	1710x95x85	2,4	2,9	1	1710x95x85	2,9							36U															
LN-PRZ-SGT-2612-SC 12xDIN49440 Socket Schuko Power Stripe – double circuit (6+6), aluminium housing, 2x16A cct breaker, 250vac, for 26U cabinet height, no cable, ready cable connection point.	60x42x1180	1250x95x85	1,7	2,1	1	1250x95x85	2,1							26U															
LN-PRZ-SGT-2612-IE 12xIEC 320 C13 Socket Schuko Power Stripe – double circuit (6+6), aluminium housing, 2x16A cct breaker, 250vac, for 26U cabinet height, no cable, ready cable connection point.	60x42x1180	1250x95x85	1,7	2,1	1	1250x95x85	2,1							26U															




Monitored and Managed Professional PDU segment, with optional sensors environmental monitoring is applicable. A very wide product portfolio in Horizontal and vertical assembly types and socket qtls and types. Spesific products can be configured based on request of different sockets and types.

PROFESSIONAL PDU SEGMENT	Logistics Data						COMPATIBLE WITH																			
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm			
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-AMP-1U6P-IE 6xIEC 320 C13 Socket PDU with Ampermeter Display, 19" 1U, aluminium profile frame, 1x16A MCB, 4000 Watt, 250V AC, 3x2.5mm2, 3m cord with IEC60309 plug (16A 2P+E), CE mark	482x44x44	540x140x65	1,4	1,7	10	560x305x350	18	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-PRZ-AMP-DM24-IE 24xIEC 320 (20xC13 + 4xC19) Socket PDU with Ampermeter Display, ZeroU, aluminium profile frame, 2x16A MCB, 8000 Watt, 250V AC, 3x6.0mm2, 3m cord with IEC60309 plug (32A 2P+E), CE mark	482x62x1648	1700x105x75	4,2	5	6	1860x250x270	32					42U/45U	42U/45U													



Monitored and Managed Professional PDU segment, with optional sensors environmental monitoring is applicable. A very wide product portfolio in Horizontal and vertical assembly types and socket qtls and types. Spesific products can be configured based on request of different sockets and types.

PROFESSIONAL PDU SEGMENT	Logistics Data							COMPATIBLE WITH																		
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETBox Home Series Cabinets W (Width) x D (Depth) mm			NETBox Slim Series Cabinets W (Width) x D (Depth) mm
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg																			
LN-PRZ-IZP-DM20-IE 20xIEC 320 (16xC13 + 4xC19) Socket, MONITORED IP PDU with Ampermeter Display, ZeroU, aluminium profile frame, 1x32A MCB, 8000 Watt, 250V AC, 3x6.0mm2, 3m cord with IEC60309 plug (32A 2P+E), CE mark, daisy-chain function upto 10 units, Remote Monitoring port	44x66x1354	1500x186x160	4,5	5	4	1680x430x345	22					42U/45U	42U/45U													
LN-PRZ-YNP-DM20-IE 20xIEC 320 (16xC13 + 4xC19) Socket, Socket Based MANAGED IP PDU with Ampermeter Display, ZeroU, aluminium profile frame, 1x32A MCB, 8000 Watt, 250V AC, 3x6.0mm2, 3m cord with IEC60309 plug (32A 2P+E), CE mark, daisy-chain function upto 10 units, Remote Monitoring port	44x66x1826	2000x186x160	4,5	5	4	2100x430x345	22					42U/45U	42U/45U													



For Empty or Spare U locations in Network and Storage applications, the products could be used for closing and giving a good visual performance to cabinet. In Hot or cold air flow applications, the blanking panels could be used for directing the cold or hot air through. Sizes are various between 1U to 6U in 19" width size. Solid metal toolless model, with special turning clips by hand toolless application can be performed. From Steel Material with 2 bends extra strength given. Supply in RAL 9005 Black and RAL 7035 Light Grey colors. 1U and 2U sizes have the slotted models, providing the ventilation possibility.

TOOLLESS TYPE BLANK PANELS	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETBox Home Series Cabinets W (Width) x D (Depth) mm		NETBox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAFrame Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 160mm depth	Single Frame with 160mm depth
LN-PNL-TBP-1U19-CC 1U 19" Blank Panel Toolless	482x15x44	500x22x55	0,25	0,29	40	560x425x122	13,5	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-2U19-CC 2U 19" Blank Panel Toolless	482x15x88	500x22x147	0,41	0,5	36	560x428x122	19	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-3U19-CC 3U 19" Blank Panel Toolless	482x15x132	500x22x147	0,57	0,66	40	545x425x400	28,7	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-4U19-CC 4U 19" Blank Panel Toolless	482x15x176	490x22x182	0,78	0,9	40	545x425x400	39,2	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-5U19-CC 5U 19" Blank Panel Toolless	482x15x220	490x22x225	0,95	1,06	40	550x430x480	44,1	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-6U19-CC 6U 19" Blank Panel Toolless	482x15x264	490x22x270	1,13	1,27	42	550x430x630	55,7	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-1U19-CC 1U 19" Blank Panel Toolless vented	482x15x44	500x22x55	0,22	0,26	40	560x425x122	13	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●
LN-PNL-TBP-2U19-CC 2U 19" Blank Panel Toolless vented	482x15x88	500x22x147	0,38	0,46	21	560x425x122	12	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



For Empty or Spare U locations in Network and Storage applications, the products could be used for closing and giving a good visual performance to cabinet. In Hot or cold air flow applications, the blanking panels could be used for directing the cold or hot air through. Sizes are various between 1U to 6U in 19" width size. Solid metal Screw model conventional type. From Steel Material with 2 bends extra strength given. Supply in RAL 9005 Black and RAL 7035 Light Grey colors. 1U and 2U sizes have the slotted models, providing the ventilation possibility.

SCREW TYPE BLANK PANELS	Logistics Data						COMPATIBLE WITH																																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETBox Home Series Cabinets W (Width) x D (Depth) mm		NETBox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmix Frame Systems W 530 x D (Depth) mm																						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-1U19-CC 1U 19" Blank Panel Screw type	482x12x44	500x22x55	0,26	0,3	40	560x425x122	13,9	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-2U19-CC 2U 19" Blank Panel Screw type	482x12x88	500x22x147	0,46	0,51	36	560x425x122	20	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-3U19-CC 3U 19" Blank Panel Screw type	482x12x132	500x22x147	0,58	0,67	40	545x425x400	29,1	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-4U19-CC 4U 19" Blank Panel Screw type	482x12x176	490x22x182	0,79	0,91	40	545x425x400	39,6	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-5U19-CC 5U 19" Blank Panel Screw type	482x12x220	490x22x225	0,97	1,08	40	550x430x480	44,9	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-KPN-6U19-CC 6U 19" Blank Panel Screw type	482x12x264	490x22x270	1,15	1,29	42	550x450x630	56,5	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-PPK-1U19-CC 1U 19" Blank Panel vented Screw type	482x12x44	500x22x55	0,23	0,27	40	560x425x122	13,4	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-PNL-PPK-2U19-CC 2U 19" Blank Panel vented Screw type	482x12x88	500x22x147	0,39	0,47	21	560x425x122	12,2	●	600x600	●	600x800	●	600x1000	●	800x600	●	800x800	●	800x1000	●	600x1000	●	800x1000	●	600x450	●	600x600	●	600x450+150	●	540x300	●	540x400	312x300	●	600x150	●	600x300	●	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Aranykulcs minden
ajtóba beleillik.


A golden key fits
every door.

Hungarian Proverb



The Vertical Cable Trays are for inserting cable bundles to cabinet and to carry them into the final connection point, W=100mm sized cable trays are vertically used aligning with the cable entry openings on cabinet. The cables should run on the cable trays where the cables tie-up to the matching slot holes on the cable tray. 1-2-3 cable trays can be attached to the cabinet side by side for more volume cabling works related to the cabinet depth. From Steel Material with 2 bends, zinc plated 8-12 micron.

VERTICAL CABLE TRAYS	Logistics Data							COMPATIBLE WITH																					
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm			DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm			NETBox Series Wall Mounting Cabinets W (Width) x D (Depth) mm			19" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			10" NETBox Series SOHO Cabinets W (Width) x D (Depth) mm			19" NETBox Home Series Cabinets W (Width) x D (Depth) mm			NETBox Slim Series Cabinets W (Width) x D (Depth) mm			DYNAmix Frame Systems W 530 x D (Depth) mm
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Single Frame with 160mm depth
LN-KDG-CMT-12UK-ZN 12U Cable Tray Zinc Plated W=100mm	100x10x552	110x20x582	0,37	0,41	2	110x20x582	0,91	●	●	●				●															
LN-KDG-CMT-16UK-ZN 16U Cable Tray Zinc Plated W=100mm	100x10x730	110x20x752	0,42	0,48	2	110x20x752	0,95	●	●	●																			
LN-KDG-CMT-20UK-ZN 20U Cable Tray Zinc Plated W=100mm	100x10x908	110x20x930	0,53	0,60	2	110x20x930	1,20	●	●	●																			
LN-KDG-CMT-22UK-ZN 22U Cable Tray Zinc Plated W=100mm	100x10x996	110x20x1020	0,59	0,68	2	110x20x1020	1,35	●	●	●	●	●																	
LN-KDG-CMT-26UK-ZN 26U Cable Tray Zinc Plated W=100mm	100x10x1175	110x20x1200	0,64	0,71	2	110x20x1200	1,43	●	●	●	●	●	●	●															
LN-KDG-CMT-32UK-ZN 32U Cable Tray Zinc Plated W=100mm	100x10x1440	110x20x1470	0,80	0,88	2	110x20x1470	1,77	●	●	●	●	●																	
LN-KDG-CMT-36UK-ZN 36U Cable Tray Zinc Plated W=100mm	100x10x1620	110x20x1650	0,90	1,01	2	110x20x1650	2,02	●	●	●	●	●		●															
LN-KDG-CMT-39UK-ZN 39U Cable Tray Zinc Plated W=100mm	100x10x1752	110x20x1782	0,98	1,08	2	110x20x1782	2,16	●	●	●	●	●																	
LN-KDG-CMT-42UK-ZN 42U Cable Tray Zinc Plated W=100mm	100x10x1885	110x20x1910	1,05	1,10	2	110x20x1910	2,20	●	●	●	●	●	●	●	●														
LN-KDG-CMT-45UK-ZN 45U Cable Tray Zinc Plated W=100mm	100x10x2020	110x20x2050	1,15	1,28	2	110x20x2050	1,56	●	●	●	●	●	●	●	●														



Horizontal Cable Management Segment accessories are for the cable management inside the cabinet, for use of carrying the cables into the final connection point. have types of 1/2U, 1U,2U, brushed type, ring type, with cover plates. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

HORIZONTAL CABLE MANAGEMENT ACCESSORIES	Logistics Data						COMPATIBLE WITH																																																							
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm							DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm							NETox Series Wall Mounting Cabinets W (Width) x D (Depth) mm							19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm							10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm							19" NETox Home Series Cabinets W (Width) x D (Depth) mm							NETox Slim Series Cabinets W (Width) x D (Depth) mm							DYNAmic Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame																																	
LN-KDG-YKD-1UKN-CC 1U 19" cable management panel 5 rings	482x72x44	490x80x50	0,32	0,35	32	545x425x400	12,85	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●		●		●	●																																
LN-KDG-YKD-1UKT-CC 1U 19" cable management panel, channel type, removable front cover plate with clips	482x75x44	490x80x50	0,51	0,55	32	545x425x400	19,20	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●		●		●	●																																
LN-KDG-YKD-1UKZ-CC 1U 19" cable management panel, channel type, removable insert type sliding cover plate	482x72x44	490x80x50	0,68	0,72	32	545x425x400	24,10	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●		●		●	●																																
LN-KDG-YKD-1UFC-CC 1U 19" cable management panel for patchcord entry, brushed type	482x12x44	490x20x50	0,25	0,29	40	560x425x122	13,50	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●		●		●	●																																
LN-KDG-YKD-1UFO-CC 1U 19" cable management panel for patchcord entry, brushed type, with L rear bend patchcord holder and tire up panel	482x112x44	490x135x50	0,58	0,76	20	545x425x400	17,00	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●		●		●	●	●																																
LN-KDG-YKD-05FC-CC 1/2U 19" cable management panel for patchcord entry, brushed stripe around the patchcord entry	482x12x22	490x135x50	0,45	0,64	20	545x425x400	14,00	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●		●		●	●	●																																
LN-KDG-YKD-2UKN-CC 2U 19" cable management panel 5 rings	482x72x88	490x85x95	0,65	0,72	16	545x425x400	13,00	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●		●		●	●	●																																


* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Horizontal Cable Management Segment accessories are for the cable management inside the cabinet, for use of carrying the cables into the final connection point. Have types of 1/2U, 1U,2U, brushed type, ring type, with cover plates. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

HORIZONTAL CABLE MANAGEMENT ACCESSORIES	Logistics Data						COMPATIBLE WITH																								
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETbox Home Series Cabinets W (Width) x D (Depth) mm				NETbox Slim Series Cabinets W (Width) x D (Depth) mm
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame		
LN-KDG-YKD-2UKA-CC 2U 19" cable management panel, channel type, removable angled front cover plate, front cover plate is toolless	482x75x88	490x85x95	1,03	1,12	16	545x425x400	20,00	●	●	●	●	●	●	●	●	●	●	●						●	●	●	●	●	●		
LN-KDG-YKD-2UKZ-CC 2U 19" cable management panel, channel type removable insert type sliding cover plate	482x72x88	490x85x95	1,35	1,47	16	545x425x400	25,50	●	●	●	●	●	●	●	●	●	●	●						●	●	●	●	●	●		
LN-KDG-YKD-2UFT-CC 2U 19" cable management panel, channel type, Finger Style PVC organizer integrated, up/down opening toolless front cover plate 2U	482x165x88	500x180x95	1,54	1,75	8	545x425x400	16,00	●	●	●	●	●	●	●	●	●	●	●						●	●	●	●	●	●		
LN-KDG-KKM-4460-CC Cable Management ring : Metal 44x60mm. 1set=5 pcs.	44x60	145x100x50	0,65	0,80	26	560x425x122	22,00	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●		
LN-KDG-KTR-D600-CC 1U Cable Tireup rail 19" and D600mm compatible	282x10x44	290x20x50	0,25	0,33	1	290x20x50	0,33	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●		
LN-KDG-KTR-D800-CC 1U Cable Tireup rail, for D800mm. Cabinets	482x10x44	490x20x50	0,33	0,43	1	490x20x50	0,43		●			●	●	●	●																
LN-KDG-KTR-D100-CC 1U Cable Tireup rail, for D1000mm. Cabinets	686x10x44	700x20x50	0,41	0,52	1	700x20x50	0,52		●				●	●	●																


* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Fan Modules for wall Mounting, Free Standing and Server Type cabinets, additionally with rack mount type compatible with all model and brands of cabinets. ready pre-installed, plug-in and run style , with on/off switches and plugs. Each Fan has an air flow capacity of 2,3-3 cbm/min. Fan Technical data : 13,8/11,8W, 220/240 VAC, 50/60 Hz, 0,07/0,06A, 2550/2750 rpm 42-47 dB noise level, Fan life: 50.000 hours (40°C). Allowable operating temperature -10°C ~ +70°C.

FAN MODULES with ON/OFF SWITCH	Logistics Data						COMPATIBLE WITH																						
							COMPATIBLE WITH		DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm								
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 160mm depth
LN-FAN-ONF-1FWM-CC 1 Fan Module on/off switched Wall Mounting Type	346x145x50	380x160x60	1,33	1,56	15	545x425x400	25,2									●	●	●	●	●									
LN-FAN-ONF-2FWM-CC 2 Fan Module on/off switched Wall Mounting Type	346x145x50	380x160x60	1,77	2	15	545x425x400	32,9									●	●	●	●	●									
LN-FAN-ONF-1FFS-CC 1 Fan Module on/off switched Free Standing Type	415x431x44	460x430x65	2,48	2,65	6	545x425x400	18	●	●	●	●	●	●																
LN-FAN-ONF-2FFS-CC 2 Fan Module on/off switched Free Standing Type	415x431x44	460x430x65	2,83	3,13	6	545x425x400	20,8	●	●	●	●	●	●																
LN-FAN-ONF-4FFS-CC 4 Fan Module on/off switched Free Standing Type	415x431x44	460x430x65	3,9	4,15	6	545x425x400	26,9	●	●	●	●	●	●																
LN-FAN-ONF-4FSR-CC 4 Fan Module on/off switched Free Standing Server Type	415x532x44	440x570x65	4,9	5,35	8	550x450x630	44							●	●														
LN-FAN-ONF-6FSR-CC 6 Fan Module on/off switched Free Standing Server Type	415x532x44	440x570x65	6,3	6,70	8	550x450x630	55							●	●														
LN-FAN-ONF-2FRM-CC 2 Fan Module on/off switched rack mount 19" compatible	482x150x44	460x430x65	2,6	2,95	8	550x430x450	25	●	●	●	●	●	●	●	●	●	●	●	●	●									
LN-FAN-ONF-4FRM-CC 4 Fan Module on/off switched rack mount 19" compatible	482x300x44	460x430x65	4,95	5,30	8	550x430x450	44	●	●	●	●	●	●	●	●	●	●	●	●	●									

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Fan Modules for wall Mounting, Free Standing and Server Type cabinets, additionally with rack mount type compatible with all model and brands of cabinets. ready pre-installed, plug-in and run style , with 0-35°C operating analog thermostat switch and plugs. Each Fan has an air flow capacity of 2,3-3 cbm/min. Fan Technical data : 13,8/11,8W, 220/240 VAC, 50/60 Hz, 0,07/0,06A, 2550/2750 rpm 42-47 dB noise level, Fan life: 50.000 hours (40°C). Allowable operating temperature -10°C~+70°C.

FAN MODULES with ANALOG THERMOSTAT	Logistics Data						COMPATIBLE WITH																											
							COMPATIBLE WITH							DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm								NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmix Frame Systems W 530 x D (Depth) mm		
							DYNAmix Series Free Standing Cabinets W (Width) x D (Depth) mm	DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm	NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm	19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm	10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm	19" NETbox Home Series Cabinets W (Width) x D (Depth) mm	NETbox Slim Series Cabinets W (Width) x D (Depth) mm																					
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 80mm depth	Double Frame System with 107mm depth	Single Frame with 160mm depth					
LN-FAN-THM-1FWM-CC 1 Fan Module thermostat switched Wall Mounting Type	346x175x50	380x160x60	1,53	1,76	15	545x425x400	28,2									●	●	●	●	●														
LN-FAN-THM-2FWM-CC 2 Fan Module thermostat switched Wall Mounting Type	346x175x50	380x160x60	1,97	2,2	15	545x425x400	34,9									●	●	●	●	●														
LN-FAN-THM-1FFS-CC 1 Fan Module thermostat switched Free Standing Type	415x431x44	460x430x65	2,68	2,85	6	545x425x400	19,2	●	●	●	●	●	●																					
LN-FAN-THM-2FFS-CC 2 Fan Module thermostat switched Free Standing Type	415x431x44	460x430x65	3,08	3,33	6	545x425x400	22	●	●	●	●	●	●																					
LN-FAN-THM-4FFS-CC 4 Fan Module thermostat switched Free Standing Type	415x431x44	460x430x65	4,1	4,35	6	545x425x400	28,1	●	●	●	●	●	●																					
LN-FAN-THM-4FSR-CC 4 Fan Module thermostat switched Free Standing Server Type	415x532x44	440x570x65	5,1	5,55	7	545x425x610	42,9							●	●																			
LN-FAN-THM-6FSR-CC 6 Fan Module thermostat switched Free Standing Server Type	415x532x44	440x570x65	6,5	6,9	7	545x425x610	50,5							●	●																			
LN-FAN-THM-2FRM-CC 2 Fan Module thermostat switched rack mount 19" compatible	482x150x44	460x430x65	2,8	3,15	9	550x430x450	29,3	●	●	●	●	●	●	●	●	●	●	●	●	●														
LN-FAN-THM-4FRM-CC 4 Fan Module thermostat switched rack mount 19" compatible	482x300x44	460x430x65	5,15	5,5	7	550x430x450	39,5	●	●	●	●	●	●	●	●	●	●	●	●	●														

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Fan Modules for wall Mounting, Free Standing and Server Type cabinets, additionally with rack mount type compatible with all model and brands of cabinets. ready pre-installed, plug-in and run style, with 0-35°C operating digital thermostat switch and plugs. Each Fan has an air flow capacity of 2,3-3 cbm/min. Fan Technical data : 13,8/11,8W, 220/240 VAC, 50/60 Hz, 0,07/0,06A, 2550/2750 rpm 42-47 dB noise level, Fan life: 50.000 hours (40°C). Allowable operating temperature -10°C~+70°C.

FAN MODULES with DIGITAL THERMOSTAT	Logistics Data							COMPATIBLE WITH																																														
								COMPATIBLE WITH							DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm										DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm						NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETbox Home Series Cabinets W (Width) x D (Depth) mm				NETbox Slim Series Cabinets W (Width) x D (Depth) mm				DYNAmix Frame Systems W 530 x D (Depth) mm			
															DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm										DYNAmix Series Free Standing Server Cabinets W (Width) x D (Depth) mm						NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETbox Home Series Cabinets W (Width) x D (Depth) mm				NETbox Slim Series Cabinets W (Width) x D (Depth) mm				DYNAmix Frame Systems W 530 x D (Depth) mm			
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame																									
LN-FAN-THD-2FFS-CC 2 Fan Module digital thermostat switched Free Standing Type	415x431x44	460x430x65	3,7	3,95	5	545x425x400	21,8	●	●	●	●	●	●																																									
LN-FAN-THD-4FFS-CC 4 Fan Module digital thermostat switched Free Standing Type	415x431x44	460x430x65	4,8	5,2	5	550x430x450	27,9	●	●	●	●	●	●																																									
LN-FAN-THD-4FSR-CC 4 Fan Module digital thermostat switched Free Standing Type	415x532x44	440x570x65	5,8	6,3	5	550x430x450	32,5							●	●																																							
LN-FAN-THD-6FSR-CC 6 Fan Module digital thermostat switched Free Standing Server Type	415x532x44	440x570x65	7,2	7,6	7	550x450x630	55							●	●																																							
LN-FAN-THD-2FRM-CC 2 Fan Module digital thermostat switched Free Standing Server Type	482x150x44	460x430x65	3,5	4,1	7	550x430x450	29,7	●	●	●	●	●	●	●	●																																							
LN-FAN-THD-4FRM-CC 4 Fan Module digital thermostat switched rack mount 19" compatible	482x300x44	460x430x65	5,8	6,1	6	550x430x450	37,7	●	●	●	●	●	●	●	●																																							


* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering

Не бойся первой
ошибки, избегай
второй.

Fear not the first
mistake, avoid the
second.

Russian Proverb






Vertical cable managers designed for DYNAframe range, integrated with Finger Style cable management PVC modules. Can be used on Single and Double Framed DYNAframe modules. Can be a common cable management trunking system once used between the two DYNAframe systems. W=135mm D=210mm sized in parallel with the U height of DYNAframe Systems, front cover plate is specially formed Extruded Aluminium material. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

VERTICAL CABLE MANAGEMENT FOR OPEN FRAMES W=135mm D=210mm		Logistics Data		COMPATIBLE WITH																								
				COMPATIBLE WITH DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm		DYNAmx Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAframe Frame Systems W 530 x D (Depth) mm										
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-KDG-OFR-5315-CC Top Cable Through Header Unit	580x140x120	630x175x140	1,7	2,1	9	545x425x610	20,8																	●	●	●	●	●
LN-KDG-OFR-27U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 27U, 1 pcs	1345x135x210	1450x175x250	6	6,5	1	1450x175x250	6,5																	●	●	●	●	●
LN-KDG-OFR-36U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 36U, 1 pcs	1745x135x210	1850x175x250	7,1	7,7	1	1850x175x250	7,7																	●	●	●	●	●
LN-KDG-OFR-42U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 42U, 1 pcs	2011x135x210	2100x175x250	9,5	10,2	1	2100x175x250	10,2																	●	●	●	●	●
LN-KDG-OFR-45U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 45U, 1 pcs	2145x135x210	2250x175x250	10,1	10,9	1	2250x175x250	10,9																	●	●	●	●	●
LN-KDG-OFR-48U135-CC W=135mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 48U, 1 pcs	2278x135x210	2380x175x250	10,5	11,5	1	2380x175x250	11,5																	●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Vertical cable managers designed for DYNAframe range, integrated with Finger Style cable management PVC modules. Can be used on Single and Double Framed DYNAframe modules. Can be a common cable management trunking system once used between the two DYNAframe systems. W=235mm D=210mm sized in parallel with the U height of DYNAframe Systems, front cover plate is specially formed Extruded Aluminium material. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

VERTICAL CABLE MANAGEMENT FOR OPEN FRAMES W=235mm D=210mm	Logistics Data		COMPATIBLE WITH																										
			COMPATIBLE WITH	DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm	DYNAmx Series Free Standing Server Cabinets W (Width) x D (Depth) mm	NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm	19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm	10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm	19" NETox Home Series Cabinets W (Width) x D (Depth) mm	NETbox Slim Series Cabinets W (Width) x D (Depth) mm						DYNAmic Frame Systems W 530 x D (Depth) mm													
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-KDG-OFR-5315-CC Top Cable Through Header Unit	580x140x120	630x175x140	1,7	2,1	9	545x425x610	20,8																		●	●	●	●	●
LN-KDG-OFR-27U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 27U, 1 pcs	1345x235x210	1450x275x250	7,6	8,1	1	1450x275x250	8,1																		●	●	●	●	●
LN-KDG-OFR-36U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 36U, 1 pcs	1745x235x210	1850x275x250	9,8	10,4	1	1850x275x250	10,4																		●	●	●	●	●
LN-KDG-OFR-42U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 42U, 1 pcs	2011x235x210	2100x275x250	11,1	11,8	1	2100x275x250	11,8																		●	●	●	●	●
LN-KDG-OFR-45U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 45U, 1 pcs	2145x235x210	2250x275x250	12,5	13,3	1	2250x275x250	13,3																		●	●	●	●	●
LN-KDG-OFR-48U235-CC W=235mm D=210mm Vertical Cable Management Panel for Open Frames, Finger Type Cable Manager integrated Module 48U, 1 pcs	2278x235x210	2380x275x250	13,5	14,4	1	2380x275x250	14,4																		●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering



Vertical Cable managers, for use of carrying the cables into the final connection point. Cable Manager sizes are W=97mm D=97mm. 5mm diameter steel wires specially formed and connected as a cable manager module. maximum openings for cable management are available due to wire mesh structure. Protection of cables is %100 level due to full radius structure on the wire mesh systems. Wire Mesh cable managers are zinc plated 8-12 micron. Front cover plate is specially formed Extruded Aluminium material. Front cover

plate is in RAL 9005 Black color for RAL 9005 Black Cabinets, in RAL 7016 Anthracite Grey color for RAL 7035 Light Grey Cabinets. Special clips hinge system allows opening right to left or left to right. 36U and higher product sizes, the front cover plate is splitted in to 2 parts where the quick access allowed to the required area

Velcro Stripes

For management of cables and to create cable reserve, or definition and separation of cables, 42cm long, 5pcs per pack set, 5 color option, Lande printed Velcro tapes.

VERTICAL CABLE MANAGEMENT PANELS FREE STANDING TYPE	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-KDG-ORG-22UD-CC 22U Wire Mesh Cable Management panel set left/right	97x97x996	220x120x1050	3,05	3,2	1	220x120x1050	3,2				●	●																	
LN-KDG-ORG-26UD-CC 26U Wire Mesh Cable Management panel set left/right	97x97x1175	220x120x1250	3,6	3,9	1	220x120x1250	3,9				●	●																	
LN-KDG-ORG-32UD-CC 32U Wire Mesh Cable Management panel set left/right	97x97x1440	220x120x1525	4,4	4,8	1	220x120x1525	4,8				●	●																	
LN-KDG-ORG-36UD-CC 36U Wire Mesh Cable Management panel set left/right	97x97x1620	220x120x1770	4,9	5,3	1	220x120x1770	5,3				●	●																	
LN-KDG-ORG-39UD-CC 39U Wire Mesh Cable Management panel set left/right	97x97x1752	220x120x1825	5,3	5,7	1	220x120x1825	5,7				●	●	●																
LN-KDG-ORG-42UD-CC 42U Wire Mesh Cable Management panel set left/right	97x97x1885	220x120x1960	5,7	6,1	1	220x120x1960	6,1				●	●	●																
LN-KDG-ORG-45UD-CC 45U Wire Mesh Cable Management panel set left/right	97x97x2020	220x120x2110	6,3	6,8	1	220x120x2110	6,8				●	●	●																
LN-KDG-ORG-VLCR-01 Cable Management Velcro Tape, 5pcs per set- 42cm long- Yellow	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-02 Cable Management Velcro Tape, 5pcs per set- 42cm long- Red	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-03 Cable Management Velcro Tape, 5pcs per set- 42cm long- White	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-04 Cable Management Velcro Tape, 5pcs per set- 42cm long- Green	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-KDG-ORG-VLCR-05 Cable Management Velcro Tape, 5pcs per set- 42cm long- Black	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. This mark defines the color of cabinets, accordingly for Light Grey cabinet RAL 7016 Anthracite Grey Panel on vertical cable manager, and for Black Cabinet RAL 9005 Black Panel on vertical cable manager will be delivered.



Vertical Cable managers, for use of carrying the cables into the final connection point. Cable Manager sizes are W=97mm D=97mm. 5mm diameter steel wires specially formed and connected as a cable manager module. maximum openings for cable management are available due to wire mesh structure. Protection of cables is %100 level due to full radius structure on the wire mesh systems. Wire Mesh cable managers are zinc plated 8-12 micron. Front cover plate is specially formed Extruded Aluminium material. Front cover

plate is in RAL 9005 Black color for RAL 9005 Black Cabinets, in RAL 7016 Anthracite Grey color for RAL 7035 Light Grey Cabinets. Special clips hinge system allows opening right to left or left to right. The front cover plate is splitted in to 2 parts where the quick access allowed to the required area.

Velcro Stripes

For management of cables and to create cable reserve, or definition and separation of cables, 42cm long, 5pcs per pack set, 5 color option, Lande printed Velcro tapes.

VERTICAL CABLE MANAGEMENT PANELS SERVER TYPE		Logistics Data						COMPATIBLE WITH																							
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETox Home Series Cabinets W (Width) x D (Depth) mm			
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame		
LN-KDG-ORG-42US-CC 42U Wire Mesh Cable Management panel set left/right server model	97x97x1885	220x120x1960	5,7	6,1	1	220x120x1960	6,1								●																
LN-KDG-ORG-45US-CC 45U Wire Mesh Cable Management panel set left/right server model	97x97x2020	220x120x2110	6,3	6,8	1	220x120x2110	6,8								●																
LN-KDG-ORG-VLCR-01 Cable Management Velcro Tape, 5pcs per set- 42cm long- Yellow	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-02 Cable Management Velcro Tape, 5pcs per set- 42cm long- Red	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-03 Cable Management Velcro Tape, 5pcs per set- 42cm long- White	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-04 Cable Management Velcro Tape, 5pcs per set- 42cm long- Green	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
LN-KDG-ORG-VLCR-05 Cable Management Velcro Tape, 5pcs per set- 42cm long- Black	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering. This mark defines the color of cabinets, accordingly for Light Grey cabinet RAL 7016 Anthracite Grey Panel on vertical cable manager, and for Black Cabinet RAL 9005 Black Panel on vertical cable manager will be delivered.



Baying Kit fo Free Standing DYNAmic range cabinets while in use without side panels.

M6 Steel caged Nut Set, Screw and Nuts included, 20pcs set and 50 pcs set, and cabinet connection kit set accesoriess.

FIXING HARDWARE/ BAYING KIT	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm						
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-DGR-BGL-FSSR-CC Baying Kit, 1 Set 4 pcs, U shaped, for all free standing cabinets usage without side panels	-	145x100x50	0,71	0,81	26	560x425x122	22	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-DGR-KFS-M620-XX M6 Cage Nut Set, 1 Set 20 pcs, screw, nut, washer	-	82x82x100	0,16	0,25	30	560x425x122	8,4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
LN-DGR-KFS-M650-XX M6 Cage Nut Set, 1 Set 50 pcs, screw, nut, washer	-	82x82x100	0,39	0,48	30	560x425x122	15,4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



20-40 °C operating with color changing function, Lande Thermometer tapes are sticking to internal side of glass door, where need of tracing the internal temperature inside the cabinet, mainly used at wall cabinets where strict temperature measurements are not needed.

(-10/+50 °C operating function, double lithium battery, 2 years life Lande Digital thermometers are supplied integrated on decorative ABS Header Unit for NETbox wall mounting cabinets and DYNAmic server cabinets.


THERMOMETERS	Logistics Data						COMPATIBLE WITH																						
							DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm		DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NE Box Series SOHO Cabinets W (Width) x D (Depth) mm		10" NE Box Series SOHO Cabinets W (Width) x D (Depth) mm		19" NE Box Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAmic Frame Systems W 530 x D (Depth) mm								
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame
LN-THM-SRT Lande Thermometer tape, 20-40 C operating with color changing function	-	-	-	-	10	235x105	-	●	●	●	●	●	●			●	●	●	●	●	●	●	●	**					
LN-THM-ELC Lande Digital Thermometer , 0-35 C, double lithium battery incl, together with ABS header Unit of cabinets	-	620x80x50	0,4	0,55	1	620x80x50	0,55			●	●			●	●	●	●	●											

** Applicable at polycarbonate door option of NETbox Slim Wall Mounting Cabinets.

ACCESSORIES

3U 19" ELECTRICAL DISTRIBUTION BOX and ACCESSORIES


10" NETbox SOHO Accessories



3U 19" DIN RAIL integrated, Electrical Distribution box supply is in RAL 7035 Light Grey and RAL 9005 Black colors. At a capacity of 18 Modules. Front Opening is covered with PVC module cover plates which are breakable as per used capacity.

3U 19" ELECTRICAL DISTRIBUTION BOX and ACCESSORIES	Logistics Data							COMPATIBLE WITH																							
								DYNAmic Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAmic Series Free Standing Server Cabinets W (Width) x D (Depth) mm				NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm				19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm				19" NETbox Home Series Cabinets W (Width) x D (Depth) mm			
Part Number* and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300	522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm	Double Frame System with 80mm depth Frame D:1070mm	Single Frame with 160mm depth Frame		
LN-PRZ-MOD-3U15-CC 3U 19" electrical distribution box 18 module capacity	482x123x133	500x150x155	2,59	2,89	4	545x425x400	13,6	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●	●	●			
LN-PRZ-SGT-316A-XX Miniature circuit breaker, 3phase, 3x16A 220/380vac	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●	●	●			
LN-PRZ-SGT-116A-XX Miniature circuit breaker, 3phase, 3x16A 220/380vac	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●	●	●			
LN-PRZ-SCK-SSRM-XX Schuko Socket, Rail Type, 250vac, 16A	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●	●	●			

* CC= Color Code, LG Light Grey RAL 7035, BL Black RAL 9005, customers to define while ordering.



Specifically designed accessory range for 10" w=312 D=300mm cabinets. Various functions in its product range are available, as for energy distribution, equipment housing, cable management.

10" NETbox SOHO Accessories	Logistics Data							COMPATIBLE WITH																					
								DYNAMIC Series Free Standing Cabinets W (Width) x D (Depth) mm				DYNAMIC Series Free Standing Server Cabinets W (Width) x D (Depth) mm		NETbox Series Wall Mounting Cabinets W (Width) x D (Depth) mm		19" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		10" NETbox Series SOHO Cabinets W (Width) x D (Depth) mm		19" NETbox Home Series Cabinets W (Width) x D (Depth) mm		NETbox Slim Series Cabinets W (Width) x D (Depth) mm		DYNAMIC Frame Systems W 530 x D (Depth) mm					
Part Number and Product Description	Product Dimensions mm	Pack Dimensions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimensions mm	Box Gross Weight kg	600x600	600x800	600x1000	800x600	800x800	800x1000	600x1000	800x1000	600x450	600x600	600x450+150	540x300	540x400	312x300	600x150	600x300			522x480	Single Frame with 80mm depth Frame	Double Frame System with 80mm depth Frame D:670mm	Double Frame System with 80mm depth Frame D:870mm
LN-SBT-RMO-1U10-CC 1U 10" Shelf D=150mm	254x150x44	270x165x50	0,37	0,45	32	545x425x400	15,5														●								
LN-KDG-YKD-05FC-CC 1/2U 10" Cable Management Panel brushed, for patchcord entry	254x12x22	265x20x50	0,07	0,11	66	560x425x122	8,5														●								
LN-PNL-SPP-1U8P-CC 1U patch panel empty for RJ45 keystone jacks	254x12x44	265x20x50	0,27	0,31	66	560x425x122	21,5														●								
LN-PRZ-ONF-1U3P-SC 1U 10" 3 way power Stripe, with plug and on/off Switch	254x100x44	270x165x50	0,60	0,70	14	560x425x122	11														●								
LN-PNL-KPN-1U10-CC 1U 10" Blank Panel	254x12x44	265x20x50	0,09	0,13	66	560x425x122	9,5														●								